Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Chickens in NPIP Hatchery Supply Flocks and Their Distribution by States and Varieties 1941-42 to 1944-45 (based on data from 32 States in 1941-42; 38 States in 1942-43; 40 States in 1943-44; and 39 States in 1944-45.)

		*					oy varietie		
Division :	: Total	: New				1:Rhode Is-		:Cross-	
State and Year:	birds	:Hampshire	:Leghorn:	Rock:	Rock	:land Red	:Wyandotte	:mated*	:Others
North Atlantic									
Maine									
1941-42	489,754	21.6	.2	1.6	25.5	50.0	•3	•6	.2
1942-43	469,498		.1	2.2	25.6	42.0	•5	.2	.1
1943-44	557,272		-4	2.2	25.6	41.5	•3	_	.1
1944-45	585,378		.1	1.5	27.1	36.9	.2	.1	.1
New Hampshire	3-301	,,,,	•		,			_	
1941-42	919,841	82.5	1. 5	1.2	12.5	2.3	-04	-	.01
1942-43	996,173		1.3	1.2	13.0	3.3	.03		.02
1943-44	1,239,655		•9	1.3	11.3	5.0	.03	dea	.06
1944-45	1,206,273		.8	1.2	13.0	3.2	•02	_	-
Vermont	1,200,21)	01.0	•0	102	17.0	7.0℃	• 02	_	_
1941-42	85,717	34.0	•2	2 5	77 0	07.7	1 1		.04
1941-42				3.5	33.9	27.3	1.1	-	
	93,490		•‡	2.5	34.9	24.2	1.0	-	•04
1943-44	101,485		.1	1.1	38.1	23.0	• 7	-	-
1944-45	26, 108	37.2	•1	٠3	41.3	20.5	.6	409	=
Massachusetts	((0.00)	/ 0	- 1	- 1	2/ -	0			
1941-42	662,906		1.4	3.4	16.5	71.8	_	-	.8
1942-43	475,634		1.4	1.7	16.9	72.9	•4	•2	.1
1943-44	631,966		13.1	3.8	14.5	60.9	-4	-	-
1944-45	646,156	11.9	1.6	3. 7	16.5	65.7	•4	•3	-
Rhode Island									
1941-42	56,921	13.7	8.0	3.4	23.7	51.2	-	-	439
1942-43	-	-	_	-	-	-	100	-	***
1943-44	60,132	10.4	.8	4.4	22.8	59•3		1.3	1.0
1944-45	70,048	19.3	8.8	4.6	19.0	46.2	·04	•9	1.1
Connecticut							·		
1941-42	315,985	21.9	5.1	3.9	26.4	42.5	.1	-	.2
1942-43	342,987		5•7	4.3	27.5	42.7	.1	•5	.1
1943-44	389,428		4.0	4.9	26.5	45.9	.2	.8	.1
1944-45		-1-1	=	=	_		-	_	-
New York									
1941-42	-	-	_			_		_	_
1942-43	233,940	20.5	58.8	1.9	6.5	9•5	.01	1.5	1.3
1943-44			70 00	/	_	7•7	•01	20)	10)
1944-45	49		_	_	_	_	_	-	_
New Jersey		_	-	-	-	=	-	-	40
1941-42	236 01.1.	17.0	C7 1	c 0	11 0	0.7	0		_
1942-43	236,044		53.1	5.8	14.8	7.3	.2	-	•9
	294,876		55.5	3.8	11.7	7.2	07		2.9
1943-14	365,097		53.6	3.6	6.8	6.1	.1	13.4	1.0
1944-45	360,527	13.6	55.0	2.3	6.0	11.9	-	10.2	1.0

	3		3					by varieti	es	
Divisio	on s		z New	: White :					:Cross-	
State and	Year:	birds	:Hampshire	e:Leghorn:	Rock:	Rock	:land Re	ed :Wyandott	e:mated*	:Others
East North	1									
Central	•									
Ohio										
1941-42		1,190,912	3.9	38.3	28.5	14.0	3.4	3.6	-	8.2
1942-43		1,222,276		38.1	28.1	13.5	3.4	3.4	1.8	5.2
1943-44		1,454,996		35.4	28.9	12.9	3.2	3.1	2.3	4.3
1944-45		1,188,955		32.3	29.4	12.2	3.3	3.1	2.4	3.4
Indiana								•	•	
1941-42		-	<n< td=""><td>_</td><td>-</td><td>_</td><td>_</td><td>_</td><td>-</td><td>-</td></n<>	_	-	_	_	_	-	-
1942-43		1,661,663	2.5	22.2	29.5	32.5	4.0	2.4	1.7	9.9
1943-44		1,741,590		19.9	24.5	35.6	4.3	2.2	1.8	3.5
1944-45		1,765,911	5.4	23.5	27.9	30.6	3.6	1.8	3.3	3.9
Illinois						_				
1941-42		1,211,961	9.1	17.4	42.0	14.8	4.4	3.2	-	9.2
1942-43		1,462,964	10.4	19.7	41.8	13.6	3-4	3.1	-	8.1
1943-44		1,860,210	12.2	19.0	42.2	12.9	2.7	3.2	-	7.8
1944-45		1,534,631	15.4	18.0	41.9	11.7	2.6	3.1	1.5	5.9
Michigan									-	
1941-42		192,808	2.9	59.9	7.6	18.1	4.0	•3	=	7.1
1942-43		226,126	4.6	59.9	10.9	18.1	4.3		•9	1.3
1943-44		239,714	4.8	56.2	12.7	19.4	4.7	.1	-	2.1
1944-45		186,125	7.9	52.1	12.1	19.0	6.0	.1	1.5	1.3
Wisconsin										
1941-42		237,162	4.1	. 74.7	12.8	1.6	1.1	1.9	-	3.7
1942-43		251,758	5.0	74.7	11.8	1.8	•9	2.1	2.0	1.7
1943-44		298,136		72.4	13.6	1.2	1.0	1.6	2.8	1.4
1944-45		286,263	6.8	74.3	12.9	1.1	•6	1.2	-	3.1

	2 3		Perc	entage	distr	ibution b	y varieties	3	
Division	: Total :						-: White		
State and Yea	r: birds :	Hampshir	e:Leghorn:	Rock:	Rock	:land Red	:Wyandotte	:mated*:	Others
West North Central									
Minnesota									
1941-42	747,570	2.9	66.8	12.3	1.9	-	1.5	9.0	5.7
1942-43	1,074,193	6.0	71.1	13.7	1.3	•	1.3	3.2	3.4
1943-44	1,331,802	3.6	69.2	11.5	.8	•7	.8	10.2	3.2
1944-45	1,294,229	4.6	67.4	9.0	.6	•7	•4	15.9	1.4
Iowa									
1941-42	-	609	-	-	-	**	-	esp	-
1942-43	835,082	9.6	35.9	28.9	5.7	2.7	2.3	7.5	7.4
1943-44	1,631,941	9.0	30.4	35.9	5.1	2.3	1.6	10.0	5.9
1944-45	915,418	10.4	34.7	26.0	4.9	2.3	1.5	14.9	5.4
Missouri									
1941-42	_	-	-	•	- ,	•••	-	-	-
1942-43	1,262,854	5.7	26.6	29.1	11.6	8.2	7.5	qui	11.2
1943-44	1,984,595	7.5	26.7	27.7	9.6	6.7	7.8	3. 7	10.3
1944-45	2,056,359	9.1	28.9	24.8	9.2	7.0	6.5	5.3	9.2
North Dakota	300 01 0		/	-1 -	1 -	- 1	1.0		
1941-42	122,240	7.9	29.6	34.2	4.9	1.4	4.2	ess	17.7
1942-43	163,785	11.9	32.0	34.0	4.0	1.9	3.2	•	12.9
1943-44	233,137	13.1	34.6	36.5	2.4	1.4	2.7	-	9.3
1944-45	180,881	17.0	33.0	36.1	1.8	1.1	2.0	4.3	4.7
South Dakota	207 107		00.1	0/ =					*0.0
1941-42	183,423	19.5	29.4	26.3	4.5	4.1	3,3	_'	12.9
1942-43	210,510	19.8	25.7	33.2	4.5	4.1	2.1	4.7	6.0
1943-44	231,292	22.0	27.2	33.4	2.1	2.6	1.6	4.1	7.0
1944-45	8بلبار,201	18.4	30.6	32.0	2.0	2.3	1.4	12.0	1.4
Nebraska									
1941-42	70 (-)	- 1	1 7 /	07.0	<u> </u>			۵۱ ۵	-
1942-43	37,671	-4	43.6	23.2	2.6	2.4	•7	24.9	2.3
1943-44	95,489	5.9	28.3	42.3	1.8	2.9	2.2	15.1	1.4
1944-45	95,120	7.3	33.8	37.2	1.4	2.7	2.0	14.0	1.6
Kansas	E70 101	Z 1.	04.7	20 3	0.0	6 3	(7	10 0	11 -
1941-42	572,424	6.4	26.3	22.1	2.2	6.7	6.3	18.5	11.5
1942-43 1943-44	611,211	5•9	28.7	20.3	2.5	6.1	5.0	21.3	10.3
1945-44 1944-45	748,763	9.0	29.0	18.0	2.5	6.3	3.8	23.2	8.2
±344-42	561,219	9•5	28.0	17.3	2.0	5•5	3.4	27.2	7.0

4	9		Perc	entage	distri	bution by	varieties		
Division :	Total :	New						:Cross-:	
State and Year:	birds :H	lampshire:	Leghorn	Rock:	Rock :	land Red	: Wyandotte	:mated*:	Others
South Atlantic									
Delaware				4					
1941-42	311,833	82.9	5.2	439	10.6	1.1	-	-	-
1942-43	375,029	85.9	3.5	•3	8.4	1.5	=	•	•5
1943-44	368,305	93.2	•5	•3	4.8	•9	-	40	•3
1944-45	485,426	94.4	1.0	elf	3.3	.8	-	=	•03
Virginia 1941-42	624,122	43.1	15.2	1.6	38.8	٠7	•3	-	•3
1942-43	636,392	50.8	14.6	1.4	32.7	•3	- 0	***	.2
1943-44	743,540	47.0.	13.0	1.2	24.3	.2		14.1	.2
1944-45	649,192	50.3	12.8	1.0	17.5	•5	•06	17.7	.2
West Virginia									
1941-42	86,127	20.3	30.6	8.5	15.4	6.8	3.7	8.6	6.1
1942-43	132,562	28.2	25.0	8.1	17.2	5.8	2.9	7.5	5.4
1943-44	174,114	1,0.2	18.1	11.5	5.5	8.3	2.7	8.2	5•5
1944-45	140,857	45.7	18.0	6.7	6.2	4.4	1.6	13.5	3.9
North Carolina	5/5 010	0/ 5	99 0	0.7	1 / =	~ ~		0 =	0.0
1941-42	567,240	26.5	13.8	2.3	46.5	3.3	en	2.7	2.9
1942-43 1943-44	548,055 706,752	31.8 37.5	12.5	2.0	41.0. 32.8	2.1	-	8.6 10.5	2.1 2.4
1944-45	509,770	42.3	10.3	2.2	26.7	5.3	4	11.9	== < e11
South Carolina	1098110	and the of	200)		2001	1.0	•4	11.07	-
1941-42	37,585	12.1	.7	7.8	56.4	18.3	-	-	4.6
1942-43	46,528	16.8	2.8	14.1	36.9	26.4	.1	-	2.9
1943-44	87,371	30.3	5.7	8.0	24.7	24.4	.1	4.4	2.4
1944-45	51,955	36.3	1.7	10.3	21.5	24.6	-	3.3	2.3
Georgia									
1941-42		C30	600	-	=	-	-	-	-
1942-43	209,960	23.0	13.8	1.1	22.9	15.2	.1	23.2	•7
1943-44	330,132	26.2	6.4	1.2	27.3	10.5	.1	27.5	•9
1944-45 Florida	309,645	27.6	3.5	•7	9.4	11.4	•	47.2	•2
1941-42	95,769	57.8	33.1	.6	•9	5.3	_	•2	2.0
1942-43	128,524	67.1	23.2	•7	2.7	4.1	-	.6	1.6
1943-44	135,018	71.8	21.3	1.5	1.5	2.4	.1	_	1.4
1944-45	100,177	70.9	21.9	1.5	.8	4.0	99	-	•9
	•			_					

	3								
Division :		New	2 White :					1Cross-	
State and Year:	birds :	Hampshire	Leghorns	Rock:	Rock 1	land Red	: Wyandotte	:mated*	Other
South Central									
Kentucky									
1941-42	352,407	7.0	8.4	29.8	25.3	15.4	4.4	-	9.7
1942-43	407,339	9.4	8.9	31.1	26.2	14.3	3.6	-	6.5
1943-44	481,683	12.2	8.8	32.3	24.3	13.2	2.4.	1.4	5.3
1944-45	399,627	17.9	7.5	32.0	22.3	12.3	2.2	1.4	4 24
Tennessee									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	-	-	-	co	-	-	-	en .	-
1943-44	263,608	18.9	14.4	14.3	27.7	9•5	3.1	1.0	11.2
1944-45	-	•	00a	0.0	-	-	-	ton	629
Alabama									
1941-42	182,182	40.5	36.3	3.5	7.1	6.5	-	-	6.2
1942-43	186,021	51.8	31.6	2.1	5.5	4.9	.6	2.2	1.3
1943-44	177,702	67.9	18.3	1.4	4.9	3.5	.1	3.2	•7
1944-45	167,798	63.1	21.0	1.8	7.3	3.6	•3	-	2.8
Mississippi		_			,	-	••		
1941-42	74,307	2.1	38. 9	13.7	13.1	18.0	5.8	-	8.3
1942-43	81,777	2.4	26.0	17.1	16.5	15.4	6.3	60	16.2
1943-44	89,792	4.8	22.9	23.1	20.9	13.4	5.0	~	9.9
1944-45	56,887	4.3	14.1	24.3	17.9	15.7	6.0	9.3	8.5
Arkansas	,,,,,,	4.2			-1-7	-2-1		, .,	
1941-42	245,381	•3	6.6	27.6	20.8	3.4	38.3	•	3.0
1942-43	159,650	.6	11.6	25.0	19.9	3.0	36.6	.1	3.1
1943-44	161,032	3.8	8.5	21.8	21.0	2.9	39.6	•3	2.2
1944-45	104,480	12.9	9.2	17.8	20.9	3.0	31.0	= -	5.1
Louisiana	204,400	224/	742	2/40	200)	,,,,	7200		70-
1941-42	_	_	•	_	_	-	_	-	-
1942-43	114,362	4.2	16.0	13.8	17.0	20.3	3.0	-	25.7
1943-44	124,499	10.4	13.5	17.0	18.8	19.9	3.3	1.2	15.9
1944-45	164,477	10.4	±J•ÿ	17.0	10.0	- 7•7	J•J	1.02	±J•7
Oklahoma	_	-	_	-	_	_	_	_	_
1941-42	447,034		21.3	27 1.	11.9	15.6	13.2		10.5
		- 7		27.4	-			76	
1942-43	394,550	•3	25.1	25.5	8.3	11.6	10.2	7.6	11.5
1943-44	493,199	- 0	28.6	23.7	7.0	10.0	8.4	10.9	11.4
1944-45	356,560	.8	27.6	23.7	6.3	9.6	8.3	14.1	9.5
lexas									
1941-42	-	-	-	-	-	-	-	-	-
1942-43		-	-	-	- /	-	-	-	-
1943-44 1944-45	364,849 238,962	1.4	63.0	3.8	5.6 7.3	7.1	1.8	8.2	9.1
101111115	2 KM (062)	•9	60.0	2.6	0 7	7.7	2.7	9.8	8.9

	8		3					varietie		
Divisio		Total					Rhode Is-		:Cross-	
State and	Yoar:	birds	:Hampshire	Leghorn	Rock:	Rock 31	land Red	3Wyamdott	e:mated*	Others
Western										
Idaho										
1941-42		86,099	27.1	42.4	8.8	3.9	5.8	٠7	1.3	9.9
1942-43		80,217		40.5	6.9	2.7	5.4	.6	10.0	3.8
1943-44		93,621		34.1	7.0	3.5	3.4	•5	10.3	3.1
1944-45		69,903		34.7	5.8	3.5	2.3		10.2	3.4
Wyoming		-/4/-/	1100	July 1	,,,,					7000
1941-42		429	900		_		onto		ano	co.
1942-43		es	652	468	- 6	cal	(SIR)	_	-	-
1942-47		_	_	600	- 6	a n	-	_	-	en
1947-45		7,109	1.4	54.6	29.5	es)	8.1	1.7	7.2	4.7
Colorado		1,207	4 044	94.0	27.7	-	0.2	T + 1	100	401
1941-42		178,815	2.6	38.4	21.5	3.5	10.1	4.6	6.2	13.1
1941-42					21.9	4.2	8.9			11.1
		156,510		40.5				3.3	5.6	
1943-44		179,564		38.6	20.4	3.5	8.2	2.6	10.9	9.6
1944-45		160,720	6.7	36.9	22.1	3.2	7.4	2.9	11.4	9.4
New Mexico		m 000		=0.1	0 =	0.0		1 0		
1941-42.		7,929		70.4	2.5	9.8	13.3	4.0	-	63
1942=43		8,768		63.3	9.5	1.9	13.7	2.8	-	2.0
1943-44		3,277		93.0	7.0	-	-	-	•	CITO
1944-45		4,151	-	100.0		-	659	-	-	-
Arizona							_		-1 1	_
1941-42		37,517		39.4	-	6.0	9.8	→;	14.04	3.2
1942-43		64,866	28.3	39 .4	-	5.1	14.04	-	9•7	3.2
1943-44		37,374	43.3	29.1	.6	1.8	19.3	•	-	5.8
1944-45		15,990	35.0	43.3	-	1.6	11.5	-	8.7	400
Utah										
1941-42		40,830	7.0	90.4	-	-	-4	-	-	em
1942-43		34,945	4.8	93.4	-	800	•9	-	emp	-
1943-44		67,832		86.0	.4	1.3	.3	•	.2	1.4
1944-45		55,716		88.88	•5	•4	1.0	-	7900	1.3
Washington			•			•				
1941-42		121,162	27.4	65.1	_	1.0	5.6	eco	ath.	1.0
1942-43		93,842		51.8	400	•9	7.2	603	400	•5
1943-44		128,087		40.9	.1	1.2	10.2	-	-	.2
1944-45		140,892		47.1	.2	•3	8.9	_	con	
Oregon			47-7	414-	4-0	• /				
1941-42		30,850	20.4	73.0	qui	.2	6.4	_	(mb	-
1942-43		29,337		76.0	-	-	6.4	_	-	
1943-44		25,430	10.7	81.6	_	=	7.7	_	_	_
1947-45		304,137	51.8	28.0	1.2	3.8	7.7	•3	5.5	en .
-744-47		ا (حوالم	21.00	20.0	1.0	9.0	101	•9	フもフ	E

SUMMARY OF BREED DISTRIBUTION IN NATIONAL POULTRY IMPROVEMENT PLAN Hatchery Supply Flocks, 1941-42 to 1944-45

Total Number of Birds and Percentage Distribution by Varieties for all States Reporting

31 States reporting all four years 1941-42 1942-43 1943-44 1944-45	1944-45 39 States	1943-44 40 States	1942-43 38 States	1941-42 32 States	Year and Number : Total : New : White : White : Barred:Rhode Is of : birds :Hampshire:Leghorn: Rook : Rock :land Red States Reporting:percent: percent :percent:percent: percent
10,379,951 11,119,406 13,447,221 12,114,749	17,573,321	20,331,999	15,780,980	10,712,027	Number : Total : New : White : White : White : porting:percent: percent : percent:percent : percent: percent : percent: percent: percent : percent:
21.0	23.2	19.4	19.2	21.2	New : mpshire: ercent:
25.0 27.0 26.3 24.8	25.8	25.9	26.6	24.1	white : White : White : Leghorn: Rook : percent: percent
16.5 16.5 14.7	17.5	19.7	18.3	15.6	White : Rock : percent:
11.4 14.1 12.2 11.4	12.4	13.9	15.7	16.2	Barred:Rhode Rock :land ercent: perce
0 t 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8.0	8	8.9	12.5	
1000 2000	2	2.6	22 •8	3.1	White : 'yandotte: percent :
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7.2	5.5	3.0	2.0	: Cross-: e:mated* :Others :percemt:percemt
20.00	3.7	4.7	5.5	5.2	Others

^{*}Data oncross-mated flocks is not truly indicative of the situation since in several States remainder of the year they are mated as purebred's for the production of purebred chicks. these flocks are cross-mated only for a portion of the year to produce broilers; for the birds in such flocks are reported under the respective purebred heading and in some States

